

Ares LRF Series Thermal Imaging

Thermal Imaging Scope Ares360L

Technical Specifications









ThermTec Technology Co., Ltd. Email: info@thermeyetec.com Website: https://www.thermeyetec.com

Ares 360L

Key Features

- Support video recording and snapshot, built-in memory chip up to 16GB;
- Excellent VOx 12μm detector, 384*288 thermal resolution, NETD≤25mk;
- Built-in laser rangefinder, accurately measure the distance up to 1,000m;
- Picture in picture & RAV function;
- 1x 5x continuous digital zoom;
- Various pesudo colors and crosshair function;
- Polarity reversal for crosshairs, easy battery installation;
- 1024*768 resolution with 0.39 inch OLED display;
- Up to 12h continuous working for lithium battery;
- Support easy shift of dual-field of view: Focal length 20/60mm;
- Support ballistic calculator function so as to never lose target.

Applications

- Night hunting
- Patrolling
- Rescue operations
- Observation

Specifications

		П	
		١	
		١	
	r	П	

Model	ARES360L	
Туре	Uncooled	
Resolution	384x288	
Pixel pitch	12μm	
NETD	≤25mk	
Spectral range	8-14μm	
Frame rate	50HZ	
	Optics	
Objective lens	20/60mm, F1.0	
Field of view	13.1°x9.8°/ 4.4°x3.3°	
Magnification	1.8X/5.5X	
Digital zoom	1.0-5.0X smooth & rapid zoom	
Eye relief	50mm	
Exit pupil	6mm	
Diopter	±5D	
	Aiming Reticle	
Click range, mm @100 m (H/V)	3.6m/3.6m	
Reticle	7	
Reticle color	Black and white	
	Display	
Туре	AMOLED	
Resolution	1024x768	
Display size	0.39 inch	
Color palette	6	

Function			
Max. recoil power on rifled weapon	6,000J		
Mounting brackets on weapon	Standard 30mm rings		
RAV	Yes		
Auto zeroing	Yes		
Manual zeroing	Yes		
Zeroing profiles	5		
Picture-in-picture	Yes		
Laser ranging	1,000m		
Image calibration	Via lens cover		
Video Recorder			
Photo/video playback	Yes		
Built-in memory	16GB		
	Interface		
Type C	Data transfer		
Wi-Fi	Yes		
	Battery		
Battery type	Replaceable, 18650 or 18500 battery		
Built-in Battery	5000mAh, rechargeable		
Battery life	12h		
	Environment		
Operating temperature	-20- +50°C		
IP rating	IP67		
Weight, g	1,250		
Dimension, mm	438(L)x84(W)x105(H)		
	Accessories		
External cable	USB data cable		
Other accessories	2x standard 30mm rings,eyeshade and etc.		

Accessories



Scope (x1)



18650 battery cap (x1)



USB cable (x1)



Eyeshade (x1)



18500 battery cap (x1)



30mm tube clip (x2)



Lithium battery (x2)



Charger(X1)



Lens cloth (x1)

Dimension

Unit: mm





